

Accessories to Medical sealers

	<p>PS 70 Front tray mm 720 x 285 x 100 Stainless steel</p>	<p>minirò H-lan minirò H-lan touch</p>
	<p>PS 110 Front tray mm 694 x 335 x 79 Stainless steel</p>	<p>Pura</p>
	<p>Front tray mm 480 x 240 x 65 Stainless steel</p>	<p>rebi serie</p>
	<p>PS 654 Front tray mm 710 x 270 x 60 Stainless steel</p>	<p>minirò H seal Evo minirò H seal VP Evo minirò H-net minirò H data Evo</p>
	<p>Front tray mm 350 x 200 x 60 Stainless steel</p>	<p>DN 350</p>

Accessories to Medical sealers

	<p>Front tray mm 560 x 190 x 29 Stainless steel</p>	<p>Medical H Medical H Dig. Accut.</p>
	<p>RL 79 Slip roll mm 790 x 290 x 110 Stainless steel and plastic rolls</p>	<p>minirò H-lan minirò H-lan touch</p>
	<p>RL 110 Slip roll mm 720 x 335 x 43 Stainless steel and plastic rolls</p>	<p>Pura</p>
	<p>RL 80 Slip roll mm 790 x 290 x 50 Stainless steel and plastic rolls</p>	<p>minirò H seal Evo minirò H seal VP Evo minirò H-net Minirò H data Evo rebi serie</p>

Accessories to Medical sealers

	<p>Independent motorized conveyor band 730 x 175 x min 108/max 138</p>	<p>minirò H-poly VP Evo</p>
	<p>PR H40 Roll holder 1 level with bi-directional cutting system. AISI 304 stainless steel, painted steel, anodized aluminium max cutting length mm 405 max reel diameter mm 220 mm 480 x 300 x 78 Kg 3,5</p>	<p>All models</p>
	<p>PR H50 Roll holder 2 levels with bi-directional cutting system. AISI 304 stainless steel, anodized aluminium max cutting length mm 510 max reel diameter mm 220 mm 630 x 280 x 360 Kg 8,5</p>	<p>All models</p>
	<p>PRN 2000 Thermal label printer Label width min.51 mm max 118 mm Label length min. 9,5 mm max 356 mm Print area 104 mm x 356 mm Graphic resolution 8 dots/mm (203 dpi) Print speed 50-75 mm/sec. Memory RAM Flash 512K Certifications CE, FCC classe A, U/L, TÜV, CFA</p>	<p>minirò H seal VP Evo minirò H-net Minirò H lan Minirò H lan touch minirò H-poly VP Pura</p>
	<p>Securscan Data Upload Software Data upload software with barcode scanner</p>	<p>minirò H net Pura VSeal.it minirò H lan Touch</p>

Accessories to Medical sealers



SIPI

Inclined working table
Dimensions: mm 640 x 520

SI Med

SI Vacuummed



SIS

Adjustable in height floor stand for
vertical sealing.
Stainless steel.
Wheels for easier moving.
Dimensions: mm 800x850x1588

SI Med

SI Vacuummed

Accessories to Medical sealers



SIPO

Horizontal adjustable in height work table. SI Med
 SI Vacuummed
 Stainless steel
 Table dimensions: mm 750 x 520 x 130
 Table width: mm 520
 Weight: 8 Kg
 Max supported weight Kg 10
 Only with SIS



SIRS

Bag stretcher
 SI Med
 SI Vacuummed
 Stainless steel
 Only 1020 version



RL 200

Independent gravity roller
 SI Med
 SI Vacuummed
 Dimensions: mm 2000 x 500
 Only with SIS